

Product Data Sheet Silica Gel White

Revision 05 from 09/2016



Silica Gel White

ThoMar OHG · Basedower Weg 10 · D-21483 Lüttau
T: +49(0)4153 55900 - 00 · F: +49(0)4153 55900 - 99
info@thomar.de · www.thomar.de

Product name

Silica Gel White

Product description

Hard, vitreous pearls of silicone dioxide. Due to its large inner surface area it can adsorb large amounts of water vapour. The possibility of regeneration makes the product environmentally friendly.

Properties

Silicon dioxide: > 97 %	Bulk density: > 720 g/l
PH-Value: > 4	Pore Volume: 0.35 – 0.45 ml/g
Loss on drying 150°C: < 2 %	Specific surface area: 650 – 800 m ² /g
Grain size: 2 – 5 mm	≥ 5 mm: < 2 %
	≤ 2 mm: < 2 %
Adsorption capacity for water vapour at 25 °C	r.H. = 20 %: > 8 %
	r.H. = 50 %: > 25 %
	r.H. = 90 %: > 35 %

Application

Silica Gel White protects your goods during transport and storage against corrosion, mildew and other damages caused by humidity. Its chemical characteristics make it ideal for drying air or other gases. The recommended regeneration temperature ranges from 100 °C – 150 °C on an oven.

Packaging

1 kg bag, 5 kg bag, 25 kg bag

Handling

When handling the material, the pertinent national health and safety regulations apply. To protect the activity of Silica Gel White it is sealed in an airtight bag. An added indicator card shows the relative humidity in the package. Due to the highly hygroscopic effect of the desiccant please open directly before use. In case of a partial removal, please close the protective packaging immediately and tightly.

Note

All advice, information and data in this data sheet should be a help to our customers. They represent a part of our years of research and development work. They are not, however, the assumption of warranties. Furthermore, no obligations on our part can be derived from. The descriptions of individual products comply with current rules and regulations. Changes of any kind can be performed without further notice. Please refer to our general terms and conditions for all our products.